

# Declaration of Performance (DoP)

DoP No.: 020CPR/5133/2013-10-01

**1. Product Name:**

Unique identification code of the product-type:

**Ecoseal EP**

**2. Product Type:**

Number allowing identification of the construction product as required under Article 11(4) of the CPR:

**200F**

(lot no. see label and product)

**3. Intended use** or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

**Intended for use as a roof cover in single-ply roofing systems.**

**4. Name, registered trade name** or registered trade mark and contact address of the manufacturer as required under Article 11(5):

**SealEco Ltd**

Goldie Road, Bothwell Park Industrial Estate,  
Uddingston, Glasgow G71 6PB, UK

**Direct Tel:** +44 (0)1698 802257

**Fax:** +44 (0)1698 802251

**Internet:** [www.sealeco.com](http://www.sealeco.com)

**E-mail** [info.uk@sealeco.com](mailto:info.uk@sealeco.com)

**5.** Where applicable, name and **contact address** of the authorised representative whose mandate covers the tasks specified in Article 12(2):

**Not relevant (see 4)**

**6. AVCP:**

System or systems of assessment and verification of constancy of performance (AVCP) of the construction product as set out in CPR, Annex V:

**System 2+**

**7. Notified Body:**

**1213**

In case of the declaration of performance (DoP) concerning a construction product covered by the harmonised standard:

**EN 13956:2012**

**Notified factory production control certification body SKZ-TeConA GmbH (identification no. 1213) performed the initial inspection of the manufacturing plant and of factory production control (FPC) and the continuous surveillance, assessment and evaluation of FPC and issued the certificate of conformity of the FPC no. 5133.**

## 8. Declared Performance

Essential characteristics	Test Method	Performance			Harmonised Technical Specification
		Unit			
Visible defects	EN 1850-2		PASS		EN 13956:2012
Width	EN 1848-2	m	1.43-3.2		
Length	EN 1848-2	m	30.6	+/- 1%	
Straightness	EN 1848-2	mm	≤15		
Flatness	EN 1848-2	mm	≤35		
Effective Thickness	EN 1849-2	mm	1.91	+10/-5%	
<b>Tensile Strength:</b>					
Machine Direction (MD)	EN 12311-2	N/50mm	>1500		
Cross Machine Direction (CD)	EN 12311-2	N/50mm	>1500		
<b>Elongation:</b>					
Machine Direction (MD)	EN 12311-2	%	>30		
Cross Machine Direction (CD)	EN 12311-2	%	>25		
<b>Dimensional Stability :</b>					
Machine Direction (MD)	EN 1107-2	%	<-0.4%		
Cross Machine Direction (CD)	EN 1107-2	%	<-0.3%		
<b>Joint Strength</b>					
Peel Resistance	EN 12316-2	N/50mm	>150		
Tensile Shear Resistance	EN 12317-2	N/50mm	>950		
<b>Resistance to Tearing</b>					
Machine Direction (MD)	EN 12310-2	N	>550		
Cross Machine Direction (CD)	EN 12310-2	N	>750		
<b>Watertightness</b>	EN 1928 Method B		PASS		
<b>Resistance to Impact</b>	EN 12691 Method A Method B	mm	1250 2000		
<b>Resistance to Static Load</b>	EN 12730 Method A Method B	kg	20 15		
<b>Hail Resistance</b>	EN 13583	m/s	≥19		
<b>Water Vapour Permeability</b>	EN 1931	μ	≥100,000		
<b>UV Resistance</b>	EN 1297	Visible	PASS		
<b>Foldability at Low Temperature</b>	EN 495-5	-25°C	PASS		
<b>Reaction to Fire</b>	EN 13501-1	Class	npd		
<b>External Fire Performance</b>	EN 13501-5	Class	npd		

## 9. Declaration:

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Dorota Bielicz (Technical Manager)  
(Name and function)

  
(Signature)

Uddingston, Glasgow, 01/10/2013  
(Place and date of issue)

## **Performance Value**

All technical data stated in the table above is based on laboratory tests. Actual measured data may vary due to circumstances beyond our control.

## **Local Restrictions**

Please be aware that as a result of specific local regulations, the performance of this product and the recommended applications may vary from country to country. Please always check the local Building Codes and Regulations before specifying the product.

## **Ecology Health & Safety Information**

A Safety Data Sheet following EC-Regulation 1907/2006, Article 31 is not required to bring the product to the market, to transport or to use it. The product does not damage the environment when used as specified.

## **REACH**

European Community Regulation on chemicals and their safe use (REACH: EC 1907/2006)

This product is an article within the meaning of Regulation (EC) No 1907/2006 (REACH). It contains no substances which are intended to be released from the article under normal or reasonably foreseeable conditions of use. Therefore, there are no registration requirements for substances in articles within the meaning of Article 7.1 of the Regulation.

Based on our current knowledge, this product does not contain SVHC (substances of very high concern) as listed in ANNEX XIV of the REACH regulation or on the candidate list published by the European Chemicals Agency in concentrations above 0.1 % (w/w).